

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Applicant:	§	
	§	
Rephael Hof et al.	§	Confirmation No. 5381
	§	
Serial No.: 10/573,932	§	
	§	
Filed: November 2, 2006	§	Group Art Unit: 3732
	§	
For: Self Adjusting Instrument	§	Attorney
	§	Docket: 4285/1
	§	(previously 26410-13952)
Examiner: Yogesh P. Patel	§	

Via Facsimile (571) 270 4646
5 pages in total

INFORMAL PROPOSED AMENDMENT

Dear Examiner Patel:

Thank you for accommodating our request for a telephone interview, booked for Tuesday, 11/3/09 at 09:30 Eastern Time.

As requested, in preparation for the meeting, please find below an informal proposed amendment, corresponding to claims we are considering filing with an RCE in this case.

The amendment to claim 40 essentially adopts the language of claim 45. New independent claim 83 is conceptually similar, but uses language more similar to claim 79. (For your convenience in this informal document, we have indicated changes relative to the text of claim 40.)

We look forward to discussing the significance of these amendments in our telephone conversation.

Mark M. Friedman
Attorney for Applicant
Registration No. 33,883

S/N: 10/573,932
Art Unit: 3732

Page 2 of 5

30-Oct-09
Atty. Dkt. 4285/1

PROPOSED AMENDMENT TO CLAIMS – DO NOT ENTER

1-39. (Canceled)

40. (Currently Amended) An endodontic instrument for removing material from a wall of a channel, the instrument comprising a flexible member having a longitudinal axis and an initial cross-sectional area in a plane perpendicular to the longitudinal axis at each point along the longitudinal axis, the member comprising a wall having an open lattice structure surrounding a hollow interior portion of the instrument, the member being bendable along the axis and resiliently compressible in cross-sectional area such that, when inserted into a channel of cross-sectional area less than the initial cross-sectional area, the flexible member conforms to an internal shape of the channel.

41. (Previously Presented) The endodontic instrument of claim 40, wherein the flexible member is a shape memory member.

42. (Previously Presented) The endodontic instrument of claim 40, wherein the member further comprises a plurality of radially disposed elements, a cutting edge being disposed on the distal ends of the radially disposed elements.

43. (Previously Presented) The endodontic instrument of claim 40, further comprising a cutting edge on at least a portion of an exterior surface of the member.

S/N: 10/573,932
Art Unit: 3732

Page 3 of 5

30-Oct-09
Atty. Dkt. 4285/1

44. (Previously Presented) The endodontic instrument of claim 40, further comprising on at least a portion of an exterior surface of the member at least one selected from a group consisting of an abrasive surface, a roughened surface, small teeth, and a cutting edge.

45-46. (Canceled)

47. (Previously Presented) The endodontic instrument of claim 44, wherein fluid can flow into the channel via a space between the wall of the channel and an outer surface of the endodontic instrument.

48. (Currently Amended) The endodontic instrument of claim 44, wherein said open lattice structure ~~the member~~ comprises at least one longitudinal element connected to a plurality of circumferential elements.

49. (Previously Presented) The endodontic instrument of claim 48, wherein the circumferential elements are straight elements.

50. (Previously Presented) The endodontic instrument of claim 48, wherein the longitudinal element is one selected from a group consisting of a straight element and a curved element, and wherein the circumferential elements are selected from a group consisting of straight elements and curved elements.

51. (Previously Presented) The endodontic instrument of claim 44, wherein the instrument is made from one selected from a group consisting of a

S/N: 10/573,932
Art Unit: 3732

Page 4 of 5

30-Oct-09
Atty. Dkt. 4285/1

superelastic material, a material having shape memory properties, and a material treated to give the material shape memory properties.

52. (Previously Presented) The endodontic instrument of claim 44, wherein the instrument is made from a nickel titanium alloy.

53.-75. (Canceled)

76. (Currently Amended) The endodontic instrument of claim 40, wherein said open lattice structure ~~the flexible member~~ comprises a plurality of longitudinal elements extending generally parallel to the longitudinal axis, and a plurality of connecting elements interconnecting between said longitudinal elements.

77. (Previously Presented) The endodontic instrument of claim 76, wherein, in an uncompressed state of the flexible member, said longitudinal elements and said connecting elements lie substantially on a cylindrical profile.

78. (Canceled)

79. (Previously Presented) The endodontic instrument of claim 77, wherein said longitudinal elements and said connecting elements define an open structure such that a majority of an area of said cylindrical profile is open.

80. (Previously Presented) The endodontic instrument of claim 77, wherein at least part of each of said connecting elements extends in a direction having a longitudinal component.

S/N: 10/573,932
Art Unit: 3732

Page 5 of 5

30-Oct-09
Atty. Dkt. 4285/1

81. (Previously Presented) The endodontic instrument of claim 40, wherein the flexible member is resiliently compressible such that, when the flexible member is rotated about said longitudinal axis, the flexible member remains pressed against an internal surface of a non-circular channel.

82. (Previously Presented) The endodontic instrument of claim 40, wherein the channel is non-circular in cross-sectional shape.

83. (New) An endodontic instrument for removing material from a wall of a channel, the instrument comprising a flexible member having a longitudinal axis and an initial cross-sectional area in a plane perpendicular to the longitudinal axis at each point along the longitudinal axis, the member comprising an open structure comprising a plurality of longitudinal elements extending generally parallel to the longitudinal axis, and a plurality of connecting elements interconnecting between said longitudinal elements, said longitudinal elements and said connecting elements together defining an external profile of the member, a majority of an area of said external profile being open, the member being bendable along the axis and resiliently compressible in cross-sectional area such that, when inserted into a channel of cross-sectional area less than the initial cross-sectional area, the flexible member conforms to an internal shape of the channel.